

CLAIMS

1. A double wrapper cigarette, comprising:
a rod-like filler including a tobacco material,
5 an inner wrapper wrapped around said filler,
an outer wrapper surrounding said inner wrapper, and
a perfume emitting layer provided between said inner
wrapper and said outer wrapper,
said perfume emitting layer including a perfume material
10 for weakening odor of sidestream smoke of the cigarette.
2. The double wrapper cigarette according to claim 1, wherein
said inner wrapper and said outer wrapper include an
additive for reducing the sidestream smoke.
3. The double wrapper cigarette according to claim 1, wherein
15 said perfume emitting layer further includes glue for
carrying the perfume material.
4. The double wrapper cigarette according to claim 3, wherein
the glue is polyvinyl acetate glue.
5. The double wrapper cigarette according to claim 3, wherein
20 the perfume material is in powder form or in grain form.
6. A manufacturing machine for manufacturing a double wrapper
cigarette, comprising:
a first feeding path along which an inner web is fed,
a second feeding path along which an outer web is fed,
25 a wrapping section for continuously forming a tobacco rod
by receiving the inner and outer webs from said first and second
feeding paths, laying the inner web on the outer web to thereby
form a double web, receiving a filler including a tobacco
material on the double web, and wrapping the double web around
30 the filler,
a cutting section for cutting the tobacco rod formed at
said wrapping section into pieces of a predetermined length,
and

at least one perfume material supply device located along one of said first and second feeding paths,

said perfume material supply device being so provided as to apply material including a perfume onto at least one of the inner and outer webs fed along said first and second feeding paths in the form of a layer, to thereby form a perfume emitting layer between the inner and outer webs of the double web.

7. The manufacturing machine according to claim 6, wherein said perfume material supply device includes

a nozzle type applicator for applying a perfume emitting liquid including the perfume material onto the inner web or the outer web.

8. The manufacturing machine according to claim 6, wherein said perfume material supply device includes

a glue applicator for applying glue onto the inner web or the outer web to thereby make an adhesive surface, and

a diffuser for diffusing a perfume emitting material in powder or grain form over the adhesive surface of the inner web or the outer web.

9. The manufacturing machine according to claim 8, wherein said diffuser includes

a first brush roller rotatably located under said feeding path, for blowing up the perfume emitting material toward said adhesive surface of the inner web or the outer web, and

a second brush roller rotatably located downstream of said first brush roller, for removing a surplus of the perfume emitting material attached to the adhesive surface.

10. A method of manufacturing a double wrapper cigarette, comprising the steps of:

feeding an inner web and an outer web to a wrapping section of a cigarette manufacturing machine, and, at an inlet of the wrapping section, laying the inner web on the outer web to thereby form a double web,

applying material including a perfume material onto at least one of the inner and outer webs in the form of a layer while the inner and outer webs are being fed, to thereby form a perfume emitting layer between the inner and outer webs of
5 the double web,

supplying a filler including a tobacco material onto the double web at the inlet of the wrapping section,

forming a tobacco rod continuously by wrapping the double web around the filler while the double web is passing through
10 the wrapping section together with the filler, and

cutting the tobacco rod into pieces of a predetermined length.